

NOVUM-LINE TRANSFER LIFTER





NOVUM 1000

NOVUM SEAT LIFT THE MULTIFUNCTIONAL INNOVATION

Perfect functionality, flawless workmanship and modern design are attributes that characterize the NOVUM 1000 by GK. This seat lift doesn't only fulfil the highest demands on users' and nursing staff's safety, it also ideally realizes all ergonomic demands.

- 1** PU foam-padded chassis with heel-stop for helping people to sit up safely
- 2** Padded hygiene seat with integrated toilet opening
- 3** Attachable leg rest for elevating the leg
- 4** Removable side section with rest function for easily cleaning the seat basket
- 5** Hand switch for electrically adjusting the lift's height
- 6** Both sides of the back section may be used





NOVUM 2000

NOVUM RECLINER LIFT PURE ERGONOMICS

It's only the wealth of intelligent details, decades of experience and the love of the product that make a recliner lift a NOVUM 2000. Stringent quality tests and prolonged test phases ensure that right from the start innovations do what they're supposed to do – in other words, make something good that much better!

- 1** Re-attachable head section with length compensation
- 2** PU-foamed reclining surface with toilet opening
- 3** Removable side section with rest function for easily cleaning the reclining surface
- 4** Swivelling grip and safety stirrup
- 5** Safety belt retainer
- 6** Ergonomic sliding stirrup



TECHNOLOGY AND DETAILS




- 1** 24 V replaceable battery system (NOVUM 1000 + 2000)
- 2** Smooth-running castors with immobilization brake
- 3** Removable cover panel sections for easy cleaning and disinfecting
- 4** Integrated toilet opening, size-adjustable




TECHNICAL DATA:	
Lifting height:	630 mm
Chassis height:	135 mm
Empty weight:	60 kg
Lifting capacity:	200 kg
Power supply:	24 V
Seat area:	500 x 440 mm

TECHNOLOGY AND DETAILS



- 1** Optional scales (max. 200 kg)
- 2** Support-friendly safety belts with clip fastener
- 3** PU-foamed reclining surface with ergonomic sliding stirrup
- 4** Re-attachable head section with length compensation
- 5** Service module with various safety monitoring functions



TECHNICAL DATA:	
Lifting height:	630 mm
Chassis height:	135 mm
Empty weight:	70 kg
Carrying capacity:	200 kg
Power supply:	24 V
Reclining area:	1940 x 440 mm



DISTRIBUTED BY

190, Boul. St-Elzéar Ouest, Laval (Québec) H7L 3N3
T 450 669.8985 | 1 800 361.0877
F 450 669.9532 | 1 888 935.7001

www.medicaltronik.ca