

40 years of spinal distraction experience upgraded for today's treatment requirements



Triton[®] 6M Spinal Distraction System

Throughout history, spinal distraction has been utilized as a treatment option to help relieve peripheral radiation/sciatica and pain associated with various spine injuries and pathologies.

Now, using over 40 years of design and manufacturing expertise, Chattanooga introduces the next generation of distraction treatment systems. Consisting of a three-tier portfolio, our latest series of traction tables includes the highly functional Galaxy TTET300, the premium Triton 6E, and at the core of the range, the Triton 6M.

The Triton 6M takes the fundamentals of our trusted Triton Traction Table and enhances them with upgraded modern technology designed to help facilitate the work of today's therapist. Together with our Triton Traction Unit and a complete range of accessories, the Triton 6M is a solid choice for practitioners looking for reliability at great value.



Repositional headpiece

 $(-15^{\circ} \text{ to } +40^{\circ})$

Key Features

- 6-section treatment table provides maximum patient comfort in prone and supine positions for manual and traction therapy
- Pelvic tilt section can be adjusted from 0° to 15° to provide flexion of lumbar spine and to help address pelvic asymmetry
- Head piece can be repositioned from -15° to +40° to allow easy access to thoracic and cervical spine
- Tuck-away grab bars for hanging traction without thoracic restraint
- Leg section is adjustable from 0° to 45°
- Gas springs assist in friction-free movement of head, pelvic, chest and leg sections which are easily accessible from either side of the table
- Foot/hand controller allows easy adjustment of table height and includes a lockable safety mechanism
- Complete range of accessories to suit every patient need





Triton® 6M

Table Ordering Information

Part Number	Product Description
4769M	Triton 6m Traction Table Family:
4769M102	Triton 6m Traction Table in Blue
4769M108	Triton 6m Traction Table in Black

Technical Specifications

Mains power	230 V~ 50/60 HZ, 120 V~ 50/60 HZ	
Current	Max 1A with 230V, Max 2A with 120V	
Dimensions (cm)	Total:	L207 X W70
	Head/ back section:	58
	Middle section:	22
	Leg section:	77
	Lowest position:	48
	Highest position:	95
Dynamic lifting capacity	 ≤ 200KG	
Maximum workload	≤ 300KG	
Weight	Max 165kg	
Electrical Safety Class:	Class II, Type B	
Safety test	CE, class I rule 12	

Optional Accessories

Triton DTS Traction Package:			
	4798	Triton DTS Traction Unit with EMG module	
	27465	Patient Data Card (XI)	
4767	2842	Card Multimedia DTS	
Triton DTS	2825	QuikWrap™ DTS Belting System	
Package,	7040	Saunders Cervical Traction Device (with clevis)	
includes:	42901	Knee Bolster Set	
9296	Stabilizer Pressure Biofeedback		
	866300002	Black Naugahyde Wedge	

Separate Accessories:		
4798	Triton DTS Traction Unit with EMG module	
2825	QuikWrap™ DTS Belting System	
7040	Saunders Cervical Traction Device (with clevis)	
2842	Card Multimedia DTS	
42901	Knee Bolster Set	
9296	Stabilizer Pressure Biofeedback	
866300002	Black Naugahyde Wedge	
371108	Black Traction Support Round (XI)	
83215	Black Axial Post (X1)	