### The superiorities of JP-33

## Automatic X-ray Film Processor

Easy to Install, Use and Maintain!

#### JPI

JPI America, Inc. (New York, USA)



# JPI's Commitment: Surferiorities in Continued development of excellence in radiology.

- The JP-33 was developed over 5 years ago and over 5000 units sold world wide.
- Since it's introduction to the U.S. market, dealers and users such as yourselves have had the first hand opportunity to transform the JP-33 into the superior processor that it is today. The JP-33 is the evolutionary result of our customers insights.
- For the past 3 years you have confirmed its reliability and durability by installing the JP-33 and calling it the best in it's class.
- While the competition has been concentrating on eliminating critical features from their processors to reduce price and are no longer investing in improvements. We at JPI continue to listen to our customers, and implement their feed back to escalate the JP-33 for continued excellence.
- Our investment insures us that we provide our customers with a competitively priced tabletop processor that is easy to use, install and maintain, without jeopardizing quality or eliminating features.

# Superiorities in Superiorities in Superiorities

#### **JP-33**

Highly durable plastic molding

Space saving Retractable Feed tray also provides Ventilation

Easily accessible electronics (PCB)

Pre-assembled Stand



Interactive Easy to read digital display

Easy to use push button control


Compact Footprint 20.6"x25"x15" for small dark rooms

7 gallon tanks for Dev. & Fix. with easy top access

Superiorities in Simplicity


#### Transport system

The JP-33's transport system has been designed to provide trouble free use with superior drying.



JP-33's
Superiorities in
Efficiency

## JP-33's Film Processing Procedure



# Superiorities in Efficiency

#### JP-33

#### STANDARD ACCESSORIES

- Stand (Pre-Assembled)
- 7 Gallon Replenishment tanks
- All hoses
- Spare parts Kit
- Factory trained unlimited tech support

#### OPTIONAL FEATURES

Variable speed

